


CLAIMS

What is claimed is:

1. A compound comprising Formula I



wherein:

R1

is a branched chain C3 to C8 alkyl, C3 to C8 cycloalkyl, C4 to C8 alkyl-substituted alkyl, bicycloalkyl, 1-adamantyl, polyhaloalkyl, trialkylsilyl, unsubstituted phenyl, or substituted phenyl;

R2 and R3

are each independently of the other unsubstituted or substituted aromatic rings, chosen from phenyl, pyridyl, pyrimidinyl, furyl, thiophenyl, pyrazinyl, pyrrolyl, pyrazolyl, 1,2,4-triazolyl, naphthyl, fluorenyl, xanthenyl, 4-oxo-1,4-dihydro-(1,8)naphthyridinyl, thiazolyl, isothiazolyl, 1,3,4-thiadiazolyl, benzo-1,2,3-thiadiazolyl, oxazolyl, imidazolyl, quinolinyl, or isoquinolinyl, where a substituent on the rings is one or more chosen independently from hydrogen, C1 to C4

alkyl, alkoxy, alkoxyalkyl, hydroxy, amino, alkylamino, dialkylamino, acylamino, halo, haloalkyl, hydroxyalkyl, dihydroxyalkyl, alkoxycarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, unsubstituted or substituted alkylphenyl, unsubstituted or substituted phenyl, unsubstituted or substituted phenoxy, nitro, cyano, alkylthio, alkylsulfonyl, aminoalkyl, carboxyalkyl, or sulfonylalkyl;

and

R4

is hydrogen, alkylthio, alkylthioalkyl, alkyloxyalkyl, acyloxyalkyl, alkyl, acyl, trialkylsilyl, or is taken together with R3 and the O in Formula I to form a lactone ring;

and the salts, stereoisomers, and tautomers thereof.

2. The compound of claim 1, wherein R1 is *tert*-butyl.

3. The compound of claim 1, wherein at least one of R2 and R3 is substituted with a substituent forming a cyclic structure on adjacent atoms of the aromatic ring.


4. The compound of claim 3, wherein the substituent is selected from the group consisting of 1,2-methylenedioxy and 1,2-difluoromethylenedioxy.

5. The compound of claim 1, wherein R2 is selected from the group consisting of phenyl, 3,5-dimethylphenyl, 2,4-dimethylphenyl, 3-methylphenyl, 4-methylphenyl, 2-methylphenyl, and 3,4-methoxydioxiphenyl.

6. The compound of claim 1, wherein R3 is selected from the group consisting of phenyl, 3-pyridyl, 3-methoxy-2-methylphenyl, 3-ethoxy-2-methylphenyl, 3-methoxy-2-ethylphenyl, 4-ethylphenyl, 2,6-difluorophenyl, 2,3-dimethylphenyl, 3-chloro-2-methylphenyl, and 3-bromo-2-methylphenyl.





7. The compound of claim 1, wherein halo is selected from the group consisting of fluoro, chloro, bromo, iodo, and combinations thereof.


8. The compound of claim 1, wherein Formula I is in its tautomeric form as Formula II:




9. The tautomeric compound of claim 8, wherein R3 and R4 and O together form a cyclic structure resulting in a lactone.

10. The compound of claim 9, wherein the lactone is selected from the group consisting of:






and




11. The compound of claim I, wherein Formula I is in its isomeric form as Formula III:




12. The isomeric compound of claim 11, wherein R1 is *tert*-butyl, R2 is 3,5-dimethylphenyl, and R3 is 2-trifluoromethylphenyl or 2-methyl-3-methoxyphenyl.


13. The isomeric compound of claim 12, wherein the compound is selected from the group consisting of:









and









14. The compound of claim 1, wherein the compound is selected from the group consisting of:






















































































































































































































and



15. A method of controlling gene expression comprising contacting an ecdysone receptor gene switch with a compound of Formula I



wherein:

R1

is a branched chain C3 to C8 alkyl, C3 to C8 cycloalkyl, C4 to C8 alkyl-substituted alkyl, bicycloalkyl, 1-adamantyl, polyhaloalkyl, trialkylsilyl, unsubstituted phenyl, or substituted phenyl;

R2 and R3

are each independently of the other unsubstituted or substituted aromatic rings, chosen from phenyl, pyridyl, pyrimidinyl, furyl, thiophenyl, pyrazinyl, pyrrolyl, pyrazolyl, 1,2,4-triazolyl, naphthyl, fluorenyl, xanthenyl, 4-oxo-1,4-dihydro-(1,8)naphthyridinyl, thiazolyl, isothiazolyl, 1,3,4-thiadiazolyl, benzo-1,2,3-thiadiazolyl, oxazolyl, imidazolyl, quinolinyl, or isoquinolinyl, where a substituent on the rings is one or more chosen independently from hydrogen, C1 to C4 alkyl, alkoxy, alkoxyalkyl, hydroxy, amino, alkylamino, dialkylamino, acylamino, halo, haloalkyl, hydroxyalkyl, dihydroxyalkyl, alkoxycarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, unsubstituted or substituted alkylphenyl, unsubstituted or substituted phenyl, unsubstituted or substituted phenoxy, nitro, cyano, alkylthio, alkylsulfonyl, aminoalkyl, carboxyalkyl, or sulfonylalkyl;


and

R4

is hydrogen, alkylthio, alkylthioalkyl, alkyloxyalkyl, acyloxyalkyl, alkyl, acyl, trialkylsilyl, or is taken together with R3 and the O in Formula I to form a lactone ring;




and the salts, stereoisomers, and tautomers thereof.



16. The method of claim 15, wherein R1 is *tert*-butyl.
17. The method of claim 15, wherein at least one of R2 and R3 is substituted with a substituent forming a cyclic structure on adjacent atoms of the aromatic ring.
18. The method of claim 17, wherein the substituent is selected from the group consisting of 1,2-methylenedioxy and 1,2-difluoromethylenedioxy.
19. The method of claim 15, wherein R2 is selected from the group consisting of phenyl, 3,5-dimethylphenyl, 2,4-dimethylphenyl, 3-methylphenyl, 4-methylphenyl, 2-methylphenyl, and 3,4-methoxydioxyphenyl.
20. The method of claim 15, wherein R3 is selected from the group consisting of phenyl, 3-pyridyl, 3-methoxy-2-methylphenyl, 3-ethoxy-2-methylphenyl, 3-methoxy-2-ethylphenyl, 4-ethylphenyl, 2,6-difluorophenyl, 2,3-dimethylphenyl, 3-chloro-2-methylphenyl, and 3-bromo-2-methylphenyl.
21. The method of claim 15, wherein halo is selected from the group consisting of fluoro, chloro, bromo, iodo, and combinations thereof.
22. The method of claim 15, wherein Formula I is in its tautomeric form as Formula II:




23. The method of claim 22, wherein in the tautomeric form, R3 and R4 and O together form a cyclic structure resulting in a lactone.

24. The method of claim 23, wherein the lactone is selected from the group consisting of:






and




25. The method of claim 15, wherein Formula I is in its isomeric form as Formula III:




26. The isomeric method of claim 25, wherein R1 is *tert*-butyl, R2 is 3,5-dimethylphenyl, and R3 is 2-trifluoromethylphenyl or 2-methyl-3-methoxyphenyl.




27. The isomeric method of claim 26, wherein the compound is selected from the group consisting of:









and









28. The method of claim 15, wherein the compound is selected from the group consisting of:
















































































































11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200








































































































-213-

and



1-
2-
3-
4-
5-
6-
7-
8-
9-
10-
11-
12-
13-
14-
15-
16-
17-
18-
19-
20-
21-
22-
23-
24-
25-
26-
27-
28-
29-
30-
31-
32-
33-
34-
35-
36-
37-
38-
39-
40-
41-
42-
43-
44-
45-
46-
47-
48-
49-
50-
51-
52-
53-
54-
55-
56-
57-
58-
59-
60-
61-
62-
63-
64-
65-
66-
67-
68-
69-
70-
71-
72-
73-
74-
75-
76-
77-
78-
79-
80-
81-
82-
83-
84-
85-
86-
87-
88-
89-
90-
91-
92-
93-
94-
95-
96-
97-
98-
99-
100-